



EJOFAST® Plus self-drilling screws

The new generation of self-drilling screws for the wooden substructure

The new EJOFAST® Plus self-drilling screws, with their concave and particularly slender tip, enable significantly safer placement on the surface and a high screwing speed. Displacement or slipping is almost impossible. At the same time, the load-bearing capacity values were improved once again.

The slim, single-fluted drill tip products no sharp-edged chips that get stuck in the material and require time-consuming removal.

www.ejofast.com


EJOT

Clever & clean

For skid-free application and reduced swarf fastening for a variety of applications











More safety

through improved load-carryingcapacity values in wood

Extremely high installation speed

through specially designed thread geometry

Better pull-out strength

through optimized Installation depth



Point-to-point attachment to metal surfaces

reduces slipping and scratching of the surface during assembly

Reduced-swarf screwing

does not produce sharp-edged swarf, eliminating any cleaning process

Low splitting effect in timber

thanks to slender concave point geometry





JF3-Plus-4.9 JF3-Plus-6.8 JF3-FR-Plus-4.9



Certified and tested.











EJOT SE & Co. KG Market Unit Construction

In der Stockwiese 35 57334 Bad Laasphe T +49 2752 908-0 F +49 2752 908-731 construction@ejot.com www.ejot.com/construction